canopy | comfort

Material

BEVEL
Defined Painted Bevel

WEAR LAYER
0.50 mm (20mil)

FINISH
UV Coating – Scratch & Fade Resistant

INSTALLATION
Floating or Direct Glue

CONSTRUCTION
WPC – Waterproof Core LVP

PAD TYPE
Cork acoustic attached pad

EMBOSSING
EIR – Matching Wood Grain

Size

DIMENSIONS
7 in x 60 in

THICKNESS
8 mm (5/16 in)

CORE THICKNESS
6.5 mm (1/4 in)

PAD THICKNESS
1.5 mm (1/16 in)

Guarantees

PROFILE TYPE
DIY Friendly – Unilin

CERTIFICATIONS
Greenguard Gold

WARRANTY
Lim. Lifetime / 10 Yr. Med. Commercial

Packaging

SF / CARTON
23.69 sq.ft / carton

EACHES / CARTON
8 planks / carton

WEIGHT / CARTON
38.28 lbs / carton

CARTONS / PALLET
65 cartons / pallet

SF / PALLET
1,539.85 sf / pallet

THE DIY WATERPROOF FLOOR

canopy | comfort

Colors

CC0801
Moonlight Oak

CC0802
Base Camp Hickory

CC0803
Reverie Oak

CC0804
Summer Oak

CC0805
Misty Oak

CC0819
Hearth Oak

Trims & Stairs

100% WATERPROOF, DESIGNED TO MATCH

T-Mold

Reducer

Overlap Stair Nose

Stair Nose

Square Stair Nose

Threshold

Quarter Round

Stair Tread

Square Stair Tread

Riser

canopy | comfort

Colors

CC0821
Ember Oak

CC0822
Ivory Oak

CC0803
Outpost Hickory

CC0804
Homestead Hickory

CC0805
Geneva Maple

CC0806
Madison Maple

Trims & Stairs

100% WATERPROOF, DESIGNED TO MATCH

T-Mold

Reducer

Overlap Stair Nose

Stair Nose

Square Stair Nose

Threshold

Quarter Round

Stair Tread

Square Stair Tread

Riser